



*President
Judy Abruscato*

From the Desk of President Abruscato

Recently I had the honor of speaking at the Commencement Ceremony for graduates of Wheeling's SOLEX College's A.A.S. in Accounting program. Many of you may have just graduated yourselves or have a recent graduate in your family; I congratulate you on the conclusion of many years of hard work and dedication! A commencement marks a new beginning: the start of an exciting chapter in your personal and professional lives.

To all recent and past graduates, I humbly suggest to you that there are few rewards greater and few joys more pure than the satisfaction of using your unique talents and abilities to improve your community. Wherever life takes you after graduation, wherever you choose to make your home, I hope you will devote some of your time and energy to working proudly with your neighbors toward common goals.

This is an old-fashioned idea, but the fact remains that nobody stands to have a more practical impact on your life than the people who live next door to you, the people who send their kids to the same schools as you, the people you pass every day on your way to work. A city council election will affect you more than any Presidential election ever will. Nothing contributes more to the health of a community than the willingness of its residents to get involved. So get to know your neighbors, learn about your local institutions and civic organizations, and find out what you can contribute. You owe it to yourselves.

I again offer you my congratulations, along with my thanks for choosing Wheeling as the location of your residence. For those who will go out and further your education in other cities, states or countries, I sincerely hope that you will remember Wheeling fondly and return to visit us often.

Village of Wheeling Receives ISO Class 3 Fire Rating - Again!

Every fire department in the United States is independently evaluated every 8 to 10 years by the Insurance Services Office (ISO) on behalf of most major property insurance companies. The purpose of this evaluation is to determine the overall fire suppression capabilities of the fire department; including the available water supply and emergency communications capabilities. Insurance companies have learned from their experience that the better staffed, equipped, trained, and strategically deployed throughout a community the fire department is, the more likely catastrophic insurance claims will be substantially reduced since emergencies are more efficiently and quickly contained. The evaluation process by ISO typically lasts 5 to 7 days and is based upon a defined evaluation process. Based on the overall evaluation score, each fire department is then assigned an ISO classification ranging from a Class 1 (best) to a Class 10 (worst). The ISO classification is then used by the various insurance companies as a part of their process for determining the risk associated with an individual's property; as well as the cost associated with providing property insurance coverage. Therefore, the lower the ISO classification, the lower property insurance rate an individual or business typically pays.

Last fall the Wheeling Fire Department underwent a full evaluation by the ISO and was recently re-awarded an ISO Class 3 designation. This classification places the Wheeling Fire Department in the top 5.5% of all fire departments nationwide. The Fire Department's re-classification is effective August 1st. **All residents and businesses are strongly encouraged to contact their insurance company at the time of their annual property insurance renewal and confirm that they are receiving the cost benefits associated with an ISO Class 3 rating.** As a result of this rating, homeowners and businesses enjoy relatively low property insurance rates.



**WE HAVE
MOVED!**

As of June 7th, the **Police Records Department** has relocated from its temporary home at the Village Hall to its permanent home inside the newly renovated Police Station at 1 Community Boulevard (formerly 255 W. Dundee). The new entrance to the Police Station is now open on the southwest side of the building.

WELCOME TO WHEELING

Village Board Highlights

Recent Village Board Actions

View Board meetings on Comcast Channel 17, AT&T (U-Verse) Channel 99

Proclaimed

- Wheeling Junior Wildcats Girls 7th Grade Basketball Team
- Peace Officers Memorial Day & National Police Week - May 9-16, 2010
- National Public Works Week - May 16-22, 2010
- Congratulations to Wheeling High School students - Fairchild Challenge
- Congratulations to the Wheeling High School Debate Team
- William Straub Day - June 1, 2010
- Jeff Kopper Day - June 7, 2010
- Anthony Stavros Day - June 16, 2010

Approved/Authorized

- A Redevelopment Agreement between the Village of Wheeling and Insite Real Estate Investments, LLC Authorizing the Sale of Property Owned by the Village at 476 and 434 S. Milwaukee Avenue, and 100 E. Jeffrey Comprising a part of the Crossroads TIF District
- Special Use and Site Plan Approval for Installation of a 150' Monopole Tower (160' with Lightning Rod) and Ground Equipment Shelter at 910 McHenry Rd.
- A Professional Engineering Services Agreement with Applied Technologies, Inc. for the Design of Water Main Replacement in Conjunction with IDOT's Dundee Road Bridge Replacement over Wheeling Drainage Ditch
- Site Plan-Building Appearance Approval for a Retail Video Store at 995 S. Elmhurst Road
- Special Use to Allow a Speciality School with an Afterschool Program for Students at Various Academic Levels Including College at 431 E. Dundee Road (within Riverside Plaza Shopping Center)
- An Agreement between the Village and Mutual Aid Box Alarm System for the Lease of Village Owned Property Located at 175 and 233 W. Hintz Road
- Acceptance of the Cook County Justice Assistance Grant (J.A.G.) in the amount of \$20,813 Funded through the Department of Justice and Administered by the Cook County Board of Commissioners Judicial Advisory Board
- Acceptance of the Cook County Justice Assistance Grant (J.A.G.) in the amount of \$69,505 Funded through the Department of Justice and Administered by the Cook County Board of Commissioners Judicial Advisory Board
- Amending Title 17, Planning, Subdivision, and Developments, of the Wheeling Municipal Code, Chapter 17.26, Impact Fees

Due to budgetary constraints, the Village of Wheeling will not be hosting fireworks or a parade for this year's Independence Day celebrations. We sincerely hope to be able to reinstate both events in coming years and thank you for your understanding.

-President Abruscato, Clerk Simpson, and Board of Trustees



Judy
Abruscato



Dean
Argiris



Ken
Brady



Bob
Heer



Patrick
Horcher



Ray
Lang



Dave
Vogel



The Village of Wheeling President and Board of Trustees

WELCOME TO WHEELING

The Clerk's Corner



Village Clerk,
Elaine Simpson

REMEMBER - WE ARE HERE TO HELP YOU

Now that summer is here hopefully we can say goodbye to rain and appreciate all the green it has provided around us. As you take your evening stroll through the neighborhood, stop and talk to the neighbors and enjoy the beautiful flowers that are growing everywhere. Stop by Friendship Fountain on Milwaukee and Dundee and relax by the water. Friendship Fountain is also a great place for taking pictures. There is no fee and you do not need a permit. If you have a summer wedding coming up, keep this beautiful Wheeling spot in mind for your pictures.

This 4th of July why not get better acquainted with your neighbors and have a block party? When new residents move in this is one way to make them feel welcome in the neighborhood and help them to get to know their neighbors. A permit for a block party is required and can be obtained through our Community Development Department at Village Hall.

A friendly reminder that if you are interested in joining one of the Village's commissions or would like more information about a particular commission, please feel free to give me a call at 847.541.8692. It is a great way to serve your community.

Remember to shop local—our Wheeling businesses appreciate it!



Health Happenings



...brought to you by the
Wheeling Board of Health

Announcing Health Education Seminar presentations for July & August

The Board of Health sponsors free health education seminars every second Tuesday of the month, at 6:30 p.m. in the first floor conference room of Village Hall. Please join us at the upcoming presentations:

July 13th: Eating Healthy Join the Whole Foods Market Palatine culinary team as they showcase the benefits of eating natural and organic foods. Plus, we'll quickly prepare a dish for you to enjoy. Recipe and taste-size portions will be provided. Sign up today by calling 847.499.9045.

August 10th: Diabetes Prevention and Care presented by the American Diabetes Association

Wheeling Community Blood Drive

The Village of Wheeling and the Wheeling Board of Health will be hosting a blood drive on Wednesday, July 14th, from 2:00 p.m. to 7:00 p.m. The drive will be held at Village Hall located at 2 Community Boulevard. Please share in the gift of life. Every pint of blood donated will help save three lives!

Appointments are greatly appreciated. To schedule an appointment, please call Health Officer Beverly Slaby at 847.449.9045 or email her at bslaby@wheelingil.gov. Walk-ins are always welcomed!

New Location for Medications and Sharps Drop Off!

As of June 19th, the medications and sharps drop off is now located at the front entrance to the Wheeling Police Station, at 1 Community Boulevard. The drop off is held every third Saturday of the month from 10 a.m. until 12 noon. Drive up to the entrance and someone will come out to your car and take the sealed sharps containers and medications. For more information, call Health Officer Beverly Slaby at 847.499.9045.

POLICE & FIRE DEPARTMENTS



There are seats left in the classroom we call Wheeling

It is a beautiful summer morning, you leave your home and walk up to your car. Today is no different than any other day, until you realize there is broken glass on the ground next to your car door. That's unusual... Wait a minute, why is your window open? No, it's not open—your window has been broken! And now you see that your GPS is gone...

This story is all too common in the northwest suburbs. People leave items of value in their cars, criminals see these items of value and steal them. As police officers we've taken hundreds, if not thousands, of these reports. Why does this keep happening? Why isn't the message getting out? In some cases, people simply aren't aware that these types of crimes are occurring in their area.

Police departments fight crime using a variety of tools. We proactively patrol, looking for bad guys; we arrest offenders when possible; and we partner with other village departments and agencies as a force multiplier. Our efforts don't stop there, however. Education is the key.

It's much more effective for people to remove the opportunity (i.e. take the GPS with you) than it is to hope the police will be in the right place at the right time when Mr. Bad Guy decides your GPS looks mighty inviting. Taking items of value with you when you leave your car is easy, but how do you stop someone from breaking into your home? This is one of the hurdles we face in law enforcement. How do we educate the public about car burglary prevention? Home burglary prevention? Do burglaries ever occur in a pattern that people could benefit from knowing about? How do we share prevention tips with a busy populace? Sure we write prevention articles, hold monthly Beat Meetings, meet with Neighborhood Watch groups, etc; but is that enough?

The answer to these questions can be found in a system called CodeRED. This system has enabled the Wheeling Police Department to reach thousands of people in minutes, with the click of a mouse. When police analysts noticed a pattern in home Burglaries by Deception earlier in the year, a CodeRED voice mail message was sent out to the area affected by these burglaries in order to warn and educate residents at the same time. The CodeRED system is a program that not only has the ability to send crime alerts to residents via their home phones, but messages can be directed to residents' cell phones (via text or call) as well as their email addresses.

"It's about getting the message out there," explained Deputy Chief John Teevans. "The more people we can reach with crime prevention-related messages, the safer Wheeling residents will be."

Please contact the Wheeling Police Department Crime Prevention Unit at 847.459.2994 with any questions you may have about the CodeRED system.

Take a Ride with Operation Lifesaver

As part of the Wheeling Police Department's consistent commitment to safety on and around the train tracks, the Traffic unit conducted its Operation Lifesaver train ride education blitz during the month of May. Traffic Unit officers assisted by Chief Benson and Deputy Chief Teevans rode each morning inbound Metra train from the Wheeling station to Union Station and gave the Operation Lifesaver presentation. The presentation provides useful vehicle and pedestrian information to help keep those who frequent the railroad tracks safe and in compliance with the law. Riders were provided with Operation Lifesaver coffee mugs as a reminder to stay safe near the tracks.



From left to right: Chief Benson, Officer Parr, Deputy Chief Teevans, Officer Lorenz, Officer Laverd

Fireworks are Illegal in the Village of Wheeling



Each year, almost 10,000 people in the United States are injured by fireworks and approximately 10 people will die from their injuries. Many will require hospitalization, as well as extensive reconstructive surgery. Tragically, almost 50% of all individuals who are injured by fireworks are under 21 years of age. In the Village of Wheeling, it is illegal to sell, use, or explode fireworks except professionally licensed and approved public displays. Individuals who violate this law are subject to prosecution. Prohibited items include but are not limited to: explosive shells, firecrackers, torpedoes, skyrockets, bottle rockets, and roman candles. Items containing less than 25 hundredth of grain of an explosive mixture (ex. snappers, party poppers, caps, etc.) are permitted and are a safe alternative. *Please do your part in making the July 4th holiday a safe one by attending one of the regional public firework displays and not conducting one in your backyard or driveway.*

Village of Wheeling

2009 Annual Drinking Water Quality Report

January 1, 2009 to December 31, 2009

WHAT IS THE WATER QUALITY REPORT?

The Water Quality Report, also known as the Consumer Confidence Report, is an annual report required by the Safe Drinking Water Act (SDWA). This report is intended to provide citizens with important information about the Village's drinking water and the efforts made by the water system to provide safe drinking water. The report provides facts, violations (if applicable) and contaminants identified in the water drinking supply during the calendar year of January 2009 through December 2009.

The source of drinking water used by the Village of Wheeling is purchased surface water. The Village of Wheeling receives water from Lake Michigan through the Northwest Water Commission, which in turn receives water from the City of Evanston that utilizes three water cribs, or intakes, located over a mile offshore in Lake Michigan.

The Village of Wheeling is committed to providing all consumers with safe and reliable drinking water. The Village of Wheeling is happy to announce that no monitoring, reporting, treatment technique, maximum residual disinfectant level, or maximum contaminant level violations were recorded for 2009. For more information regarding this report, please contact Roel Martinez, Utility Supervisor, at (847) 279-6922, or by email at rmartinez@wheelingil.gov.

Este informe contiene informacion muy importante sobre el agua que usted bebe. Traduzcalo o hable con alguien que lo entienda bien.

SOURCES OF DRINKING WATER

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in water include:

- Microbial contaminants, such as viruses and bacteria, which can come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife;
- Inorganic contaminants, such as salts and metals, which may be naturally occurring or result from urban storm water run-off, industrial or domestic wastewater discharges, oil and gas production, mining or farming;
- Pesticides or herbicides, which may come from a variety of sources such as agriculture, urban storm water run-off and residential uses;
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water run-off and septic systems;
- Radioactive contaminants which can be naturally occurring or be the result of oil and gas production and mining activities

OTHER FACTS ABOUT DRINKING WATER

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency (EPA) Safe Drinking Water Hotline at (800) 426-4791.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protections for public health.

Interesting & Useful Facts....

- * 97% of earth's water is salt water in the oceans. 1% is available for drinking. 2% is frozen in the polar ice caps.
- * 9-12 gallons of water are used on average for an automatic dishwasher; 20 gallons on average is used by hand washing dishes.
- * 2,072 gallons of water is used to make four new tires.
- * On average, an individual uses 80-100 gallons of water daily.
- * 95% of a tomato is water; an ear of corn is 80% water.
- * Washing a sidewalk or driveway with a hose uses about 50 gallons of water every 5 minutes

SOURCE WATER ASSESSMENTS

The Village of Wheeling wants customers to be informed about water quality and encourages public participation at Village Board meetings with decisions that may affect the quality of water. The Village Board meets every first and third Monday of the month at 6:30 PM at Village Hall, 2 Community Boulevard, Wheeling, IL 60090. The source water assessment for the Village's supply has been completed by the Illinois Environmental Protection Agency (IEPA). If you would like a copy of this information, please contact our Utility Supervisor at (847) 279-6922. To view a summary version of the completed Source Water Assessment, including Importance of Source Water; Susceptibility to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, please access the IEPA website at <http://www.epa.state.il.us/cgi-bin/wp/swap-fact-sheets.pl>.

The Illinois EPA considers all surface water sources of community water supply to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intakes with no protection only dilution, which is the reason for mandatory treatment for all surface water supplies in Illinois. All three of Evanston's intakes are located far enough offshore that shoreline impacts are not considered a factor on water quality. However, at certain times of the year the potential for contamination exists due to the proximity of the North Shore Channel and wet-weather flows. In addition, the proximity to a major shipping lane adds to the susceptibility of these three intakes. Water supply officials from Evanston are active members of the West Shore Water Producers Association. Coordination regarding water quality situations (i.e. spills, tanker leaks, exotic species, etc) is frequently discussed during the association's quarterly meetings. Lake Michigan, as well all the great lakes, has many different organizations and associations that are currently working to either maintain or improve water quality. Since the predominant land use within Illinois' boundary of Lake Michigan watershed is urban, a majority of watershed protection activities in the IEPA Source Water Assessment document are aimed at this purpose.

2009 Regulated Contaminants Detected

The next several tables summarize contaminants detected in the drinking water supply.

Definitions:

- AL Action Level: Concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system flows.
- Avg Regulatory compliance with some MCLs is based on running annual average of monthly samples.
- mrem millirems per year (a measure of radiation absorbed by the body).
- MCL Maximum Contaminant Level: Highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the Maximum Contaminant Level Goal as feasible using the best available treatment technology.
- MCLG Maximum Contaminant Goal: Level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- MRDL Maximum Residual Disinfectant Level: Highest level of disinfectant allowed in drinking water.
- MRDLG Maximum Residual Disinfectant Level Goal: Level of disinfectant in drinking water below which there is no known or expected risk to health. MRDLGs allow for a margin of safety.
- N/A Not Applicable
- NTU Nephelometric Turbidity Units
- pCi/L picocuries per liter (a measure of radioactivity)
- ppb parts per billion or micrograms per liter (ug/L) - or one ounce in 7,350,000 gallons of water.
- ppm parts per million or micrograms per liter (mg/L) - or one ounce in 7,350 gallons of water.
- TT Treatment Technique: Required process intended to reduce the level of a contaminant in drinking water.

Lead and Copper:

Contaminant	MCLG	Action Level (AL)	90th Percentile	# of Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	1.3	1.3	0.118	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
Lead	0	15	3.77	0	ppb	N	By-product of drinking water chlorination.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Regulated Contaminants

Disinfectants & Disinfectant By-Products	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Chlorine	1.2	0.7 - 1.2	MRDLG = 4	MRDL = 4	ppm	N	Water additive used to control microbes.
Haloacetic Acids (HAA5) *	26	14 - 26	No goal for the total.	60	ppb	N	By-product of drinking water chlorination.
Total Trihalomethanes (TTHm) *	52	18 - 53	No goal for the total.	80	ppb	N	By-product of drinking water chlorination.

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future.

Inorganic Contaminants	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Barium	0.035	0.035 - 0.035	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Fluoride	0.94	0.94 - 0.94	4	4	ppm	N	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Iron	0.45	0.45 - 0.45		1	ppm	N	Erosion of natural deposits.
Manganese	10	10	150	150	ppb	N	Erosion of natural deposits.
Sodium	26	26 - 26			ppm	N	Erosion from naturally occurring deposits; Used in water softener regeneration.

Radioactive Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Beta/photon Emitters	1/9/2008	7.3	7.3 - 7.3	0	50	mrem	N	Decay of natural and man-made deposits.
Combined Radium, 226/228	1/9/2008	0.82	0.82 - 0.82	0	5	pCi/L	N	Erosion of natural deposits.
Gross Alpha excluding Radon & Uranium	1/9/2008	3.9	3.9 - 3.9	0	15	pCi/L	N	Erosion of natural deposits.

Total Organic Carbon:

The total percentage of total organic carbon (TOC) removal was measured each month and the system met all TOC removal requirements set by IEPA, unless a TOC violation is noted in the violation section

Turbidity	Limit (Treatment Technique)	Level Detected	Violation	Likely Source of Contamination
Lowest monthly % meeting limit	0.3 NTU	100%	N	Soil runoff.
Highest single measurement	1 NTU	0.14 NTU	N	Soil runoff.

NOTE: The State requires monitoring of certain contaminants less than once per year because the contaminants do not change frequently. Therefore, some of the data may be more than one year old.

WATER RESTRICTION:

To conserve water, non-essential use of water is prohibited every day from May 15th through September 15th between the hours of 12 PM to 6 PM. Non-essential water use includes, but is not limited to, washing vehicles; washing/pressure washing streets, sidewalks, parking lots, paved areas or building exteriors; using hose for clean-up; and irrigation of lawns.

2009 WATER QUALITY DATA – EVANSTON, ILLINOIS

MCL = Maximum Contaminant Level

Non-Detected Contaminant

MCLG – Maximum Contaminant Level Goal

UL MRL – Underwriters Laboratories Maximum Reporting Level

Inorganic Contaminants	MCLG	MCL	UL_MRL	Level Found	Volatile Organic Chemicals (Tested 2008, next test 2011)	MCLG	MCL	UL_MRL	Level Found
Arsenic (ppb)	0	10	2	nd	Methyl Tert-Butyl Ether (MTBE) (ppb)	n/a	n/a	0.5	nd
Barium (ppb)	2	2	2000	nd	1,2,4-Trichlorobenzene (ppb)	70	70	0.5	nd
Cadmium (ppb)	5	5	5	nd	Cis-1,2-Dichloroethylene (ppb)	70	70	0.5	nd
Chromium	100	100	100	nd	Xylenes (ppm)	10	10	0.5	nd
Cyanide (ppb)	200	200	0.2	nd	Dichloromethane (ppb)	0	5	0.5	nd
Iron (ppb)	n/a	1000	0.3	nd	O-Dichlorobenzene (ppb)	600	600	0.5	nd
Manganese (ppb)	n/a	150	50	nd	P-Dichlorobenzene (ppb)	75	75	0.5	nd
Mercury (Inorganic) (ppb)	2	2	2	nd	1,1-Dichloroethylene (ppb)	7	7	0.5	nd
Nickel	n/a	100	100	nd	1,1,1,2-Dichloroethylene (ppb)	100	100	0.5	nd
Selenium (ppb)	50	50	50	nd	1,2-Dichloroethane (ppb)	0	5	0.5	nd
Sulfate	250	250	250	nd	1,1,1-Trichloroethane (ppb)	200	200	0.5	nd
Antimony (ppb)	6	6	6	nd	Carbon Tetrachloride (ppb)	0	5	0.5	nd
Beryllium (ppb)	4	4	4	nd	1,2-Dichloropropane (ppb)	0	5	0.5	nd
Thallium (ppb)	0.5	2	2	nd	Trichloroethylene (ppb)	0	5	0.5	nd
Zinc (ppb)	n/a	5000	5000	nd	1,1,2-Trichloroethane (ppb)	3	5	0.5	nd
Nitrate as N (NO3)	10	10	5	nd	Tetrachloroethylene (ppb)	0	5	0.5	nd
Nitrate as Nitrogen (ppm)	1	1	0.5	nd	Monochlorobenzene (ppb) same as Chlorobenzene	100	100	0.5	nd
Synthetic Organic Contaminants					Benzene (ppb)	0	5	0.5	nd
Endrin (ppb)	2	2	0.1	nd	Toluene (ppm)	1	1	0.5	nd
BHC-Gamma (Lindane)	200	200	0.1	nd	Ethylbenzene (ppb)	700	700	0.5	nd
Methoxychlor (ppb)	40	40	0.1	nd	Styrene (ppb)	100	100	0.5	nd
Toxaphene (ppb)	0	3	1	nd	LITZ				
Diquat (ppb)	20	20	2	nd	Cryptosporidium (oocysts)	0	0	n/a	nd
Dalapon (ppb)	200	200	5	nd	Giardia (cysts/L)	0	0	0.089	nd
					Escherichia coli (MPN/100ml)			1	nd
Endothal (ppb)	100	100	9	nd	UCMR2 (ppb)				
Di(2-ethylhexyl)adipate (ppb)	400	400	0.6	nd	Method 529				
Oxamyl (Vydate) (ppb)	200	200	2	nd	1,3 – Dinitrobenzene			0.8	nd
Simazine (ppb)	4	4	0.35	nd	RDX (Hexahydro – 1,3,5-trinitro-1,3,5-triazine)			1.0	nd
Di(2-ethylhexyl)phthalate (ppb)	0	6	0.6	nd	TNT (2,4,6-Trinitrotoluene)			0.8	nd
Pichloram (ppb)	500	500	1	nd	Method 521				
Dinoseb (ppb)	7	7	1	nd	N-Nitrosodiethylamine (NDEA)			0.0050	nd
Hexachlorocyclopentadiene (ppb)	50	50	0.5	nd	N-Nitrosodimethylamine (NDMA)			0.0020	nd
Aldicarb sulfoxide	n/a	n/a	1	nd	N-Nitrosodi-N-butylamine (NDBA)			0.0040	nd
Aldicarb sulfone	n/a	n/a	1	nd	N-Nitrosodi-N-propylamine (NDPA)			0.0070	nd
Carbofuran (ppb)	40	40	0.9	nd	N-Nitrosomethylethylamine (NMEA)			0.0030	nd
Aldicarb	n/a	n/a	1	nd	N-Nitrosopyrrolidine (NPYR)			0.0020	nd
Atrazine (ppb)	3	3	0.3	nd	Method 525.2				
Alachlor (Lasso) (ppb)	0	2	0.2	nd	Acetochlor			2.0	nd
Hepiachlor	0	100	0.04	nd	Alachlor			2.0	nd
Hepiachlor Epoxide (ppt)	0	100	0.02	nd	Method 535			1.0	nd
Dieldrin	n/a	1	0.05	nd	Acetochlor ESA			1.0	nd
2,4-Dichloro-phenoxyacetic Acid (2,4-D) (ppb)	10	10	1	nd	Acetochlor OA			2.0	nd
2,4,5-TP (Silvex) (ppb)	50	50	1	nd	Alachlor ESA			1.0	nd
Hexachlorobenzene (ppb)	0	1	0.1	nd	Alachlor OA			2.0	nd
Benzo (A) Pyrene (ppb)	0	200	0.1	nd	Metolachlor ESA			1.0	nd
Pentachlorophenol (PCP) (ppb)	0	1	0.4	nd	Metolachlor OA			2.0	nd
Aldrin (ppb)	n/a	1	0.05	nd	Method 527				
Polychlorinated Biphenyls (PCB) (ppb)	0	500		nd	Dimethoate			0.7	nd
DDT Total	n/a	n/a	1	nd	2,2',4,4',5,5' – Hexabromobiphenyl (HBB)			0.7	nd
1,2-Dibromo-3-Chloropropane (DBCP) (ppb)	0	0.2	0.02	nd	2,2',4,4',5,5' – Hexabromobiphenyl ether (BDE-153)			0.8	nd
Same as Dibromochloropropane					2,2',4,4',5 – Pentabromodiphenyl ether (BDE-99)			0.9	nd
Ethylene Dibromide (EDB) (ppb)	0	50	0.01	nd	2,2',4,4',6 – Pentabromodiphenyl ether (BDE-100)			0.5	nd
Chloradane	0	2	0.2	nd	Tetrafos-sulfone			0.4	nd
THM/HAAs					2,2',4,4' – Tetrabromodiphenyl ether (BDE-47)			0.3	nd
Monochloroacetic Acid (ppb)	70	70	2.0	nd	Radionuclides				
Monobromoacetic Acid (ppb)	n/a	n/a	1.0	nd	(sampled every 6 years) next test 2014, last sampled 2008				
Dibromoacetic Acid (ppb)	n/a	n/a	1.0	nd	Combined Radium - 226,228 (pCi/L)		0	5	nd

Upcoming IDOT Projects

• At a special IDOT letting on May 14, 2010 bids were received and opened by the Illinois Department of Transportation (IDOT) for the **McHenry Road Resurfacing Project** from Dundee Road to Denoyer Trail. This project should be awarded by IDOT by early July and the improvements should be undertaken and completed this summer.

• IDOT's **Dundee Road (IL 68) Buffalo Creek Bridge Replacement Project**—which is being planned for the demolition of the existing bridge and construction of a new bridge—is moving forward with a construction project letting date of September 17, 2010. With this proposed fall letting date, the project will most likely not be underway until the spring of 2011 with a proposed completion date of October 31, 2011. This project will involve significant lane closures for the duration of the project which will considerably impact the traffic along the Wheeling, Dundee Road corridor. It is strongly recommended that the motoring public which regularly uses Dundee Road for commuting begin to evaluate alternate routes to get around this area once the lane closures are put in place for these improvements.

ComEd Residential Programs

ComEd provides the following information on two energy efficiency programs available to its residential customers.

ComEd Appliance Recycling Program

Getting rid of old appliances can save you energy and lower your electric bill; and thanks to ComEd's "Smart Ideas Appliance Recycling" program, it's easy.

Book your appointment online at www.ComEd.com/ApplianceRecycling. ComEd will pick up your appliance for FREE and recycle it, capturing the oils, refrigerants, metal and glass so they don't end up polluting our environment. ComEd will even send you a check for \$25 for each fridge or freezer you turn in! (Limit 2). Book your pick up today at www.ComEd.com/ApplianceRecycling or call 888-806-2273.

ComEd Residential Real Time Pricing

Under ComEd's Residential Real-Time Pricing, residential customers can buy electricity at the going market rate. Currently, most ComEd customers pay a fixed-price rate for the electricity they use. With Real-Time Pricing, you can pay wholesale market prices, which fluctuate from hour to hour. That means if you're able to shift the use of large appliances to the hours when electricity is cheaper, such as running a dishwasher or clothes washer in the evening, at night or on the weekend, you could potentially save money on your ComEd electricity bill. To learn more, visit www.theWattSpot.com, or call 877-WATT-SPOT (877-928-8776).

Tips for Conserving Water

- Check faucets, pipes and toilets regularly for leaks.
- When washing dishes by hand, do not leave water running for rinsing.
- Do not run the hose while washing the car.
- Use a broom, not a hose, to clean driveways and sidewalks.
- Take shorter showers. Install water-saving low flow shower heads.
- Plant drought-resistant shrubs and plants.

Protect Against Mosquitoes

Mosquitoes can develop in water that has been stagnant for more than five days. They can breed in a small amount of water the size of a bottle cap. Please follow these tips to reduce the mosquito population and prevent the spread of West Nile Virus.

- Remove old tires, tin cans, buckets, drums, bottles or other containers that can hold water from your front and back yards. Play tires can have holes drilled through them to prevent water from accumulating.
- Empty plastic wading pools weekly or store upside down when not in use.
- Do not allow water to collect in pool covers.
- Do not allow swimming pools or hot tubs to be neglected.
- Stock ornamental ponds with mosquito eating fish such as goldfish or minnows.
- Store boats, garden equipment and toys covered or upside down.
- Empty and refill water bowls for pets daily.
- Change water every few days in bird baths and plant saucers.
- Keep weeds and grass cut short.
- Be sure screens in homes are in good repair and tight fitting.
- Keep gutters around your home free of debris and in good repair.
- Repair leaky outside faucets.



Protect You and Your Family

- If you are going out between dusk and dawn remember to wear long sleeves, pants, socks and shoes.
- Apply insect repellent with DEET, picaridin or oil of lemon eucalyptus according to the labeled instructions.

Report Dead Birds

If you find a dead bird and the carcass doesn't have any outward signs that it has died, call Health Officer Beverly Slaby at 847.499.9045. Birds that have an odor, maggots, deflated eyes or visible wounds will not be accepted for testing. Double bag these birds and discard them in the trash. If the bird is acceptable, it will be tested for West Nile Virus. Acceptable birds include crows, blue jays, grackles, starlings, robins, cardinals, sparrows and finches.

SENIOR SERVICES



Pavilion Senior Center * 199 N. First St. * 847.459.2670

The Pavilion Senior Center, part of the Department of Senior Services, announces the following programs to be offered to area older adults.

Anyone 55 years or better is welcome to join the activities or volunteer services to assist or share talents with others.

Lunch at Pavilion

Join us for a great meal and great friends at the LUNCH AT PAVILION. New menu selections, restaurant atmosphere, table service—you can't beat it!! The Wheeling Pavilion Senior Center hosts service for anyone 60 years and better. A nutritionally balanced lunch is served Monday, Wednesday, and Friday from 11:30 a.m. until 1:00 p.m. to participants. Reservations needed. Social activities and informational programs are included as part of this program. Each diner will receive written information regarding the cost of the meal and will have the opportunity to contribute to part or all of the cost. This program runs through September 2010. Funds for this program are provided through an award from AgeOptions under the American Recovery and Reinvestment Act, through the Illinois Department on Aging and Federal Administration on Aging. For more information regarding how to register or volunteer, please contact the Wheeling Pavilion Senior Center at 847.459.2670 and ask for Shari or Liz.

The Wheeling Pavilion Senior Center is celebrating 25 years!

SAVE THE DATE!

AUGUST 19TH IN THE EVENING

Join us in celebrating 25 years of service to older adults in Wheeling. More details to come. Please call 847.459.2670 for more information and how you can help!

Les Invita al Club Latino

Un club para Latinos de la Tercera Edad (los que tengan 55 años o más). El Club provee información de los recursos para adultos mayores, jugamos Domino y Lotería, comemos ricas botanas, charlamos sobre los temas importantes para Usted. El Club se reúne cada 1er y 3er miércoles del mes de las 2:00 p.m. a las 4:00 p.m.

**Wheeling Pavilion Senior Center,
199 N. First Street, Wheeling, IL**

Para más información, llame al 847.459.2672 con Shari.

Wheeling Computer Learning Center for Seniors



Do you have a digital camera but don't know how to get the pictures off of it?

Do you want to keep in touch with your grandchildren through Facebook or email, but don't know where to start?




Does banking online sound like something you might want to try.....but you don't want to bother your kids to teach you?

Have you never touched a computer, but would like to try?

If you answered yes to any or all of these questions, then the Wheeling Computer Learning Center for Seniors is just the place for you. Our new session of classes will begin soon. All of our volunteer teachers and coaches have years of experience teaching and helping older adults...because they are seniors too! Call the Wheeling Pavilion Senior Center for the latest information regarding class offerings and schedules: 847.459.2670.

AARP Driver Safety Course

The AARP Driver Safety Course for drivers age 50 and older is scheduled for Wednesday July 14th and 21st from 9:00 a.m. to 1:00 p.m. at the Wheeling Pavilion Senior Center, in Wheeling. The fee is \$12 for AARP members (bring AARP membership card) and \$14 for non-members, payable at the course, by check made payable to AARP. Course completion qualifies for auto insurance premium reduction. Registration is required and class is limited to 25 persons. To register, call 847.459.2670 or sign up at the Wheeling Pavilion Senior Center.



Make Your Garage Sale a Success

Last year, the Village Board approved amendments to Chapter 4.60 of the Wheeling Municipal Code concerning garage sales on residential property. The Village still does not require a permit or fee to conduct a garage sale but has limited the number of garage sales that can be held on a single residential property per year. When hosting a garage sale, please be aware of the following Village rules:



- No Village permit shall be required for a garage sale.
- Garage sales shall be permitted for three consecutive days between 8:00 a.m. and sunset of each day.
- Not more than three garage sales shall be conducted on the same premises within any calendar year or by the same person(s) within any calendar year.
- It is unlawful for any person to use the public sidewalk or public right-of-way for the purpose of a garage sale or to display personal property for such sale.
- The Village of Wheeling Municipal code prohibits placing signs on utility poles, fences, trees, streetlights, or traffic signals.
- Garage sale signs are permitted in the public right-of-way on the day of sale only, from Thursday at 7:00 a.m. to Sunday at 6:00 p.m., provided that the sign is not more than three square feet in size and is mounted no higher than three feet above grade.
- Improperly posted signs will be removed.
- Please remove all signs promptly after the sale.

Feel free to come to the Village Hall and pick up our Garage Sale Information Guide which contains helpful tips for planning, carrying out and wrapping up your successful garage sale. For more information call the Community Development Department at 847.459.2620.

Notice: Electronic Payments of Water Bills

When submitting payment for your water bill through your personal bank site please be certain to process a minimum of 10 days prior to the due date. The Village of Wheeling is not set up to receive electronic payments and your bank will need to prepare and mail a check. For immediate payment receipt visit our web site @ www.wheelingil.gov which will allow you to pay by credit card. The payment is received within moments of your authorization. Thank you.

Welcome new Wheeling Businesses!

OrganicLife, LLC.

281 Messner Drive
Healthy school lunch catering

Adoralife

88 E Dundee Rd.
Distributor of Herbalife

Ideal Vanities

761 Glenn Ave.
Warehousing & distributing of vanity sink cabinets

Cricket

765-A W. Dundee Rd.
Retail sales of cell phones & accessories

Chicago Executive Flight School, LLC

1011 S Wolf Rd., Ste. 202
Flight training, aircraft rental

Diamond Die Cutting, LLC.

2087 Foster Ave.
Production facility for cardboard & paper die cutting.



CARRIER ROUTE PRE-SORT

Local Postal Patron
Wheeling, IL 60090

Computer Recycling at Your Front Door

The At Home Computer Pickup Program provides SWANCC-area residents with a convenient recycling option for old electronics and computers.

For \$25 you can recycle up to 6 items. Additional items are \$5 each with a maximum of 15 items. Cell phones and calculators are accepted at no cost and do not count toward your item total.

You can easily schedule a pickup online and place your items by the front door tagged with the SWANCC receipt on your pickup day. It's that easy!

To be eligible to participate you must:

- Live in a SWANCC member community (Wheeling is a SWANCC member)
- Have street level access to your front door

All materials will be dismantled domestically and recycled by an ISO 14001 and 9001 certified contractor. Due to these recycling efforts, natural resources and energy are conserved, materials are recovered or disposed of in a safe manner and landfill space is saved.

Learn more about SWANCC's At Home Pickup Program, including what items are accepted, by visiting www.swancc.org.



WE ARE HERE TO SERVE YOU!

Village Hall

2 Community Boulevard

Wheeling, IL 60090

Phone: 847.459.2600

Fax: 847.459.9692

Website: www.wheelingil.gov

Open 7:00am to 5:00pm M - F

Public Works Department

77 W. Hintz Road

Phone: 847.279.6900

Open 7:00am to 3:30 pm M - F

Community Development

2 Community Blvd

Phone 847.459.2620

Open 7:00am to 5:00pm M -F

Senior Services

199 N. First Street

847.459.2670

Police Department

1 Community Blvd

847.459.2632

Fire Department

1 Community Blvd

847.459.2662

Wheeling Local TV

Comcast: Channel 17

A T & T: Channel 99

Wheeling Park District

333 W. Dundee Road

847.465.3333

Indian Trails Public Library

355 S. Schoenbeck Road

847.459.4100

847.459.CODE

to report code violations

Village President

Judy Abruscato

847.541.8783

Trustees

Dean Argiris

847.845.6990

Ken Brady

847.537.8642

Robert Heer

847.541.4274

Patrick Horcher

847.331.4234

Ray Lang

847.537.7631

Dave Vogel

847.942.9580

Clerk Elaine Simpson

esimpson@wheelingil.gov

847.541.8692