


PLAN

NOTE:

RISERS TO BE CONSTRUCTED IN LIEU OF WYES WHERE SEWER DEPTH EXCEEDS 10'-0".

FOR A DEPTH OF 10 FEET OR GREATER, THE SERVICES SHALL BE CONSTRUCTED WITH DUCTILE IRON PIPE (D.I.P.).

WHERE A SEWER MAIN IS 15 FEET OR GREATER, THE CONTRACTOR SHALL FURNISH A D.I.P. CONNECTION WITH ADAPTER FOR THE PLASTIC SEWER MAIN.



SECTION A - A



VILLAGE OF WHEELING  
ENGINEERING DIVISION  
2 COMMUNITY BOULEVARD  
WHEELING, IL 60090  
WWW.WHEELINGIL.GOV

SANITARY SERVICE RISER  
STANDARD

VILLAGE OF WHEELING SPECIFICATIONS AND DETAILS	S.W.	9-8-00 AUTOCAD FILE	DETAIL NO.
FILE LOCATION	C.J.C.	11-27-07 AUTOCAD FILE	
T:\ENGINEERING\STANDARDS			

REVISIONS		
S.W.	9-8-00 AUTOCAD FILE	
C.J.C.	11-27-07 AUTOCAD FILE	

DETAIL NO.  
SAN-5