Village of Wheeling
2010 Village Control Points

VILLAGE OF WHEELING ILLINOIS



Legend

- Control Point
- Railroad
- Roads
- Water Features
- Village Limits

N
W E
S

1 inch = 600 feet

GIS consortium

ControlPointMap_VWH_36x48_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations



Control Point:	VOW-1
Northing:	1988655.278
Easting:	1089721.795
Elevation:	661.03 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, NW corner of Sycamore & Longtree.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-2
Northing:	1988672.601
Easting:	1090013.766
Elevation:	661.09 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, NW corner of Cherrywood & Longtree.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-3
Northing:	1991546.326
Easting:	1089144.372
Elevation:	661.37 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, SW corner of Schoenbeck & Anthony.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-4
Northing:	1991129.562
Easting:	1089135.01
Elevation:	667.93 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, ~ 40' N of Horizon, W side of Schoenbeck.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-5
Northing:	1988707.431
Easting:	1093459.793
Elevation:	653.36 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, W side of Seton, ~ 85' N of 930 Driveway.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-6
Northing:	1988182.705
Easting:	1093525.95
Elevation:	653.33 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, NE Corner Hintz & Seton.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations



Control Point:	VOW-7
Northing:	1983102.447
Easting:	1095446.167
Elevation:	658.66 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, W side of Holbrook, ~ 200' N of Palatine Rd.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations



Control Point:	VOW-8
Northing:	1983498.839
Easting:	1095446.234
Elevation:	654.93 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, W side intersection Abbott & Holbrook.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-9
Northing:	1985347.556
Easting:	1095478.704
Elevation:	650.99 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, S side Gilman, ~ 50' W of 225 Driveway



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations



Control Point:	VOW-10
Northing:	1985387.287
Easting:	1094625.81
Elevation:	652.99 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, N side of Gilman, ~ 120' E of Wheeling Rd.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations



Control Point:	VOW-11
Northing:	1983321.357
Easting:	1097034.413
Elevation:	651.72 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, E side of Abbott Dr, ~ 10' N of driveway



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-12
Northing:	1982930.491
Easting:	1096987.433
Elevation:	651.78 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, NW corner of Palatine & Abbott



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-13
Northing:	1988604.271
Easting:	1091790.01
Elevation:	656.54 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, W side S Elmhurst, across from Kristy Ln.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-14
Northing:	1988981.294
Easting:	1091886.198
Elevation:	656.89 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, NE Corner of S Elmhurst & Gregor.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-15
Northing:	1988450.576
Easting:	1091658.471
Elevation:	658.27 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	Wheeling High School, SE practice field.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations



Control Point:	VOW-16
Northing:	1997395.436
Easting:	1090327.352
Elevation:	661.28 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	Field, ~ 100' E of Scanlon, ~ 150' N of Lexington.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-17
Northing:	1997133.573
Easting:	1090323.027
Elevation:	664.61 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, E side Lexington, ~ 200' N of Boxwood Ct.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-18
Northing:	1990292.614
Easting:	1099371.522
Elevation:	642.89 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, W side Stone, ~ 80' S of 470 Stone driveway.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-24
Northing:	1998577.702
Easting:	1088907.92
Elevation:	676.26 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	NE corner of Cedar Run & Locust.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-19
Northing:	1990133.729
Easting:	1099626.182
Elevation:	643.48 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, Between 495 & 491 Anita Pl driveways.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-20
Northing:	1980265.4
Easting:	1097965.946
Elevation:	650.49 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, W side of Foster, ~ 75' S of Willow Rd.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations



Control Point:	VOW-21
Northing:	1979390.063
Easting:	1097964.31
Elevation:	650.98 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, W side Foster,in front of 2110 Foster Ave.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-22
Northing:	1995334.834
Easting:	1099003.712
Elevation:	651.48 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, SW corner E Strong & N Milwaukee



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-25
Northing:	1998580.241
Easting:	1088632.776
Elevation:	677.51 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	N side of Locust Dr, ~ 50' west of Harms Ct.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-23
Northing:	1995702.228
Easting:	1098951.804
Elevation:	653.21 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, In front of 325 N Milwaukee.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-26
Northing:	1993794.695
Easting:	1098697.236
Elevation:	650.16 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, N side E Dundee, ~ 70' W of Wheeling Ave.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-27
Northing:	1993829.429
Easting:	1099124.181
Elevation:	650.38 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, NW corner of E Dundee & Wille Ave.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

Control Point Locations

Control Point:	VOW-28
Northing:	1993557.422
Easting:	1093055.552
Elevation:	649.99 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	ROW, SE corner of W Dundee & George Rd.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling
Control Point Locations

Control Point:	VOW-29
Northing:	1993616.137
Easting:	1092625.098
Elevation:	650.17 FT
Description:	5/8 in. iron bar with yellow plastic cap stamped V.O.W.
Location:	SW corner of 700 W Dundee, N side of street.



Control Point

Coordinate System:
Horizontal: NAD 83
Vertical: NAVD 88

N
W E
S

1 inch = 50 feet

GIS consortium

ControlPointBook_8.5x11_20100105
CMK, Jan 5th 2010

Village of Wheeling

E. Dundee Rd. Control Points